(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

Page: 1 Compilation date: 12.05.2015 Revision date: 01.02.22

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

Product code: B05

Synonyms: HC0904 / PP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: FOR PROFESSIONAL AND INDUSTRIAL USE ONLY. Water based enzymatic drain cleaner.

1.3. Details of the supplier of the safety data sheet

Company name: PARAGON PRODUCTS (UK) LTD Newhailes Industrial Estate Newhailes Road Musselburgh East Lothian EH21 6SY United Kingdom Tel: +44(0)131 653 2222 Fax: +44(0)131 653 2272 Email: sales@paragongroup.co.uk

1.4. Emergency telephone number

Emergency tel: +44(0)131 653 2222

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Sens. 1: H317

Most important adverse effects: May cause an allergic skin reaction. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

Page: 2

Signal words:	Warning
Precautionary statements:	P102: Keep out of reach of children.
	P260: Do not breathe spray.
	P262: Do not get in eyes, on skin, or on clothing.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
Haz. ingredients (label):	Contains:
	1,2-BENZISOTHIAZOLIN-3-ONE

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

1,2-BENZISOTHIAZOLIN-3-ONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
220-120-9	2634-33-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400	<1%

Non-classified ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE - REACH registered number(s): 01-2119980051-45-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	<1%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor in case of complaints

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes. Water based product. Advice relates to dry residues after water has evaporated.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

1,2-BENZISOTHIAZOLIN-3-ONE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	111	Consumers	Systemic

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Green		
Odour:	Perfumed		
Evaporation rate:	Slow		
Solubility in water:	Highly soluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	100	Melting point/range°C:	0
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	Not applicable.	Vapour pressure:	Not applicable.
Relative density:	1.000	pH:	6.5-8.50
VOC g/l:	0		

(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

1,2-BENZISOTHIAZOLIN-3-ONE

ORL	MUS	LD50	1150	mg/kg
ORL	RAT	LD50	1020	mg/kg

Non-classified ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

IHL	RAT	LC50	>5	mg/l
ORL	RAT	LD50	200-2000	mg/kg
SKN	RAT	LD50	>2000	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Tidzaid	Routo	Baolo

(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

	,		, -		Page	6
Serious eye damage/irritation		OPT	Hazardo	Hazardous: calculated		
Respiratory/skin sensitisation		DRM	Hazardo	Hazardous: calculated		
Symptoms / routes of exposur	of exposure					
Skin contact:	There may	/ be irritation and	I redness at the site of	of contact.		
Eye contact:	There may	/ be irritation and	l redness. The eyes r	nay water profusely.		
Ingestion:	There may	/ be soreness an	d redness of the mou	th and throat.		
Inhalation:	There may	be irritation of t	he throat with a feelir	g of tightness in the cl	nest. Exposure may	
	cause cou	ghing or wheezir	ng.			
Delayed / immediate effects:	Immediate	e effects can be e	expected after short-to	erm exposure.		
ction 12: Ecological information	ation					
12.1. Toxicity						
Hazardous ingredients:						
-						
PRIMARY ALCOHOL ETHOX	YLATE C9	-11 6 MOLE				
FISH			96H LC50	1-10	mg/l	
Ecotoxicity values:	No data available.					
12.2. Persistence and degrada	bility					
ersistence and degradability:	Biodegrad	able. The surfac	tant(s) contained in th	nis preparation complie	es (comply) with	
	the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on					
	detergents	-	C			
12.3. Bioaccumulative potentia	al					
Bioaccumulative potential:	No bioacc	umulation potent	tial.			
12.4. Mobility in soil						
Mobility:	Readily ab	sorbed into soil.	Volatile. Soluble in w	/ater.		
12.5. Results of PBT and vPvB	assessme	ent				
PBT identification:	This produ	ict is not identifie	ed as a PBT/vPvB sub	ostance.		
12.6. Other adverse effects						
Other adverse effects:	Negligible	ecotoxicity.				
ction 13: Disposal consider	ations					
	S					
13.1. Waste treatment methods	-	Transfer to a suitable container and arrange for collection by specialised disposal				
		o a suitable conta	ainer and arrange for	collection by specialis	ed disposal	

Recovery operations: Not applicable.

(PARAGON PRODUCTS UK LTD) BIOMAN LIQUID

Page: 7

Waste code number: 20 01 30

Disposal of packaging: Dispose of as normal industrial waste. Clean with water.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	IMPORTANT NOTE:
	Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the
	formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels
	in the mixed product.
	See sections 2 and 3 for the calculated hazard and risk phrases for the blended product.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H400: Very toxic to aquatic life.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product. For professional
	and industrial use only.