

SUPER CHLOR

Page: 1

Compilation date: 01/08/2008

Revision date: 21/01/2015

Revision No: 4

# Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: SUPER CHLOR

Product code: F10

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

#### 1.3. Details of the supplier of the safety data sheet

Company name: Paragon Products UK Ltd

Newhailes Industrial Estate

Newhailes Road Musselburgh East Lothian EH21 6SY

United Kingdom

Tel: +44 (0) 131 653 2222 Fax: +44 (0) 131 653 2272

Email: sales@paragongroup.co.uk

## 1.4. Emergency telephone number 0131 653 2222

# **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314; Aquatic Acute 1: H400; -: EUH031

Most important adverse effects: Contact with acids liberates toxic gas. Causes severe skin burns and eye damage. Very toxic

to aquatic life.

### 2.2. Label elements

Label elements:

Hazard statements: EUH031: Contact with acids liberates toxic gas.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental





#### SUPER CHLOR

Precautionary statements: P102: Keep out of reach of children.

P282: Wear eye protection. P280: Wear protective gloves.

P264: Wash hands thoroughly after handling.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P314: Get medical attention if you feel unwell.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P332+313: If skin irritation occurs: Get medical attention.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical attention.

P362: Take off contaminated clothing.

#### 2.3. Other hazards

Other hazards: Contact with acids liberates toxic gas.

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

### SODIUM HYPOCHLORITE SOLUTION CLACTIVE

EINECS	CAS	PBT / WEL	WEL CLP Classification	
231-668-3	7681-52-9	- Skin Corr. 1B: H314; Aquatic Acute 1:		1-10%
		H400; -: EUH031		

### DODECYLDIMETHYLAMINE OXIDE

216-700-6	1643-20-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	
			Eye Dam. 1: H318; Aquatic Acute 1:	
			H400	

### ALCOHOLS C12-C14, ETHOXYLATED, SULPHATED, SODIUM SALTS

-	68891-38-3	-	Eye Dam. 1: H318; Skin Irrit. 2: H315;	1-10%
			Aquatic Chronic 3: H412	

# Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

[cont...]

Page: 2

#### SUPER CHLOR

Page: 3

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available.

Transfer to hospital as soon as possible.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

# Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Water.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eves.

# Section 6: Accidental releasemeasures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

SUPER CHLOR

Page: 4

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do

not handle in a confined space. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Polyethylene.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

## **Hazardous ingredients:**

# **SODIUM HYPOCHLORITE SOLUTION...100% CLACTIVE**

### Workplace exposure limits:

### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1.5mg/m3	-	-	-

#### **DNEL/PNEC Values**

DNEL / PNEC No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Hand protection:** Impermeable gloves. Rubber gloves. Gloves (alkali-resistant). **Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.

Skin protection: Alkali resistant protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Characteristic odour

SUPER CHLOR

Page: 5

**Evaporation rate:** Moderate

Oxidising: Oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Viscous

Boiling point/range°C: 100 Melting point/range°C: 0

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable. Vapour pressure: Not applicable.

**Relative density:** 1.05 - 1.15 **pH:** 12.5

VOC g/I: 0

#### 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4. Conditions to avoid

#### 10.5. Incompatible materials

Materials to avoid: Acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

## Hazardous ingredients:

# **SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE**

ORL	DAT	LDEO	750	malka
UKL	KAI	LD50	/50	mg/kg

# ALCOHOLS C12-C14, ETHOXYLATED, SULPHATED, SODIUM SALTS

ORL	RAT	LD50	>2000	mg/kg	
-----	-----	------	-------	-------	--

SUPER CHLOR

Page: 6

#### Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding

from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# **Section 12: Ecological information**

## 12.1. Toxicity

#### Hazardous ingredients:

#### **SODIUM HYPOCHLORITE SOLUTION...100% CL ACTIVE**

-	LC100	1	mg/l
	20100		1119/1

#### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SUPER CHLOR

Page: 7

# **Section 14: Transport information**

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

(SODIUM HYPOCHLORITE SOLUTION...5 % CLACTIVE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions. Transport category: 3

**Section 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance by the supplier.

#### **Section 16: Other information**

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010. \* indicates text in the SDS which has changed since the last revision.

### Phrases used in s.2 and s.3:

EUH031: Contact with acids liberates toxic gas.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.