

SAFETY DATA SHEET

F16 Fat Solv Caustic Decarbonising Powder

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

1.1 Product Name	F16 Fat Solv Caustic Decarbonising Powder			
1.2 Other Names	Caustic Decarbonising Powder	Caustic Decarbonising Powder		
SDS No	C2/569	Rev Date:	16 th November 2022	Rev No: 2
1.3 Application	Catering			
1.4 Supplier	Paragon Products UK Ltd Newhailes Industrial Estate, Musselburgh East Lothian, United Kingdom. EH21 6SY Tel: +44 (0) 131 653 2222. Fax: +44 (0) 131 653 2272 E:Mail. sales@paragongroup.co.uk			
1.5 Emergency Contact Number	0131 653 2222 (Hours of Op	eration – 09	.00 to 17:00 Monday to Fri	day)

SECTION 2. HAZARD IDENTIFICATION

Classification (EC1272/2008)			
2.1 Signal Word	Danger		
2.1 Classification	Physical: Met. Corr.1 – H290 Health: Skin corr. 1b – H314; Eye Dam. 1- H318; STOT-SE 3- H335 Environmental Not classified		
Hazard Statements	H290 – May be corrosive to metals H314 – Causes severe skin burns and eye damage H318 – Causes serious eye damage H335 – May cause respiratory irritation		
Precautionary Statements	P102 – Keep out of reach of children. P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P264 – Wash Hands thoroughly after handling. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P301 +P330 + P331 – IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothin skin with water/shower.	ng. Rinse	
2.2 Labelling	GHS05 GHS07		
2.3 Other Hazards	None		

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixture			
Product	EC (EINECS No.	CAS-No.	%
Sodium Metasilicate Pentahydrate	229-912-9	10213-79-3	30-50
Classification (EC 1272/2008)	•		
Physical: Met. Corr. 1 – H290 Health: Skin corr. 1B – H314, Eye dam. 1 – H31 Environmental: Not Classified.	8, STOT SE3 – H335.		
Product	EC (EINECS No.	CAS-No.	%
Sodium Carbonate	207-838-8	497-19-8	30-50
Classification (EC 1272/2008)	•		
Physical: Not Classified. Health: Eye Irrit. 2 – H319. Environmental: Not Classified.			
Product	EC (EINECS No.	CAS-No.	%
Sodium Hydroxide	215-185-5	1310-73-2	5-10
Classification (EC 1272/2008)			
Physical: Met. Corr. 1 – H290. Health: Skin corr. 1A – H314. Environmental: Not Classified.			
Product	EC (EINECS No.	CAS-No.	%
SODIUM DODECYL BENZENE SULPHONATE	246-680-4	25155-30-0	<5
Classification (EC 1272/2008)			
Physical: Not Classified. Health: Acute Tox. 4 – H302, Eye Dam. 1 – H318, Skin Irrit. 2 – H315. Environmental: Not Classified.			

For the full text of the H-statements mentioned in this section, see section 16.

SECTION 4. FIRST-AID MEASURES

Inhalation	Move exposed person to fresh air. Get medical attention	
Ingestion	Get medical advice immediately! Do Not Induce Vomiting! Immediately rinse mouth and drink plenty of water	
Skin Contact	Remove contaminated clothing immediately and wash with soap and water. Get medical attention immediately	
Eye Contact	Immediately flush with plenty of water for up to 15 minutes. Remove contact lenses if safe and easy to do so, open eyes wide apart. Get medical attention immediately. Continue to rinse.	
4.2 Most Important Sy	mptoms and effects, both acute and delayed	
General Information	Symptoms described are dependent upon the concentration and exposure time	
Inhalation	Possible irritation of throat, nose & airway	
Ingestion	Irritation, possible burns to throat mouth and stomach	
Skin Contact	Irritation, possible chemical burns to skin	
Eye Contact	Possible serious eye damage	
4.2.1	diate medical attention and special treatment needed if necessary	

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media Use:

The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials

5.2 Specific Hazard arising from the chemical

When heated in the case of fire, harmful or toxic gases may be produced

5.3 Special protective actions for fire fighters

Self contained breathing apparatus and full protective clothing must be worn

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

- a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.
- b. Follow precautions for safe handling described in section 7 of this SDS.

6.2 Environmental Precautions

Spillages of uncontrolled discharges into watercourses must be Immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains.

6.3 Methods and material for containment and clean up

Drains should be Bunded or capped to prevent entrance or damage.

Ventilate well. Dilute with copious amounts of water. Collect with absorbent, non-combustible material into suitable containers. Flush area with plenty of water.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid Spilling, skin and eye contact. Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke.

7.2 Conditions for safe Storage, including incompatibilities

Corrosive storage, Keep containers tightly closed. Keep in original containers. Do not allow product to freeze, avoid extreme temperatures

7.3 Specific end use(s)

The identified use for this product is detailed in section 1.2.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters						
Name	STD	Consumer		Industry		Notes
Sodium Carbonate	DNEL			Long Term	10mg/m3	Inhalation
Sodium Metasilicate	DNEL	Long Term	0.74mg/kg/day	Long Term	1.49mg/kg/day	Dermal
		Long Term	1.55mg/m3	Long Term	6.22mg/m3	Inhalation
Sodium Hydroxide	DNEL	Long Term	1mg/m3			Inhalation
DNEL= Derived No Effect Le	evel		L	I.	L	L
8.1 Control parameters						
Name	STD	TWA – 8 Hrs		STEL – 15 Min		Notes
Sodium Hydroxide	WEL				2	
WEL= Workplace Exposure	Limit			•	- 1	1
8.2 Appropriate engineerin	g controls					
Provide adequate ventilation	on					
8.3 Individual protection m	easures, such	as personal pro	tective equipment (F	PE)		
Respiratory Equipment	If ventilation	n is in sufficien	t, suitable respirator	y protection must	t be provided.	
Hand Protection	PVC gloves	PVC gloves are recommended.				
Eye Protection	Ware appro	Ware approved safety goggles.				
Other Protection	Wear suita	Wear suitable protective clothing to prevent contact with skin				

Protective Equipment



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Mixture	
Granular powder	
White	
Low	
Soluble in water	
>12	
1.2 – 1.3	
	Granular powder White Low Soluble in water >12

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	
Reaction with acids, reaction with water	
10.2 Chemical stability	
Stable under normal temperature conditions and recommended use.	
10.3 Possibility of hazardous reactions	
Heat is generated in contact with water	
10.4 Conditions to avoid	
Avoid excessive heat for prolonged periods of time. Do Not allow to freeze	
10.5 Incompatible materials	
Strong acids, strong oxidising substances	
10.6 Hazardous decomposition products	
When heated toxic and corrosive vapours and gasses may be produced	

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological information

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity
We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic
Foxicity data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request
12.2 Persistence and degradability
Degradability: the surfactants used in this preparation are designed for disposal via normal foul water disposal methods
12.3 Bioaccumulative potential
This preparation does not contain any substance that is expected to be bioaccumlating
12.4 Mobility in soil
Soluble in water
12.5 Results of PBT and vPvB
This preparation does not contain and PBT or vPvB substances
12.6 Other adverse effects
Not Known

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

SECTION 14. TRANSPORT INFORMATION

ADR	IMDG	ICAO	
14.1 UN Number	·		
1759	1759	1759	
Corrosive Solid N.O.S.	Corrosive Solid N.O.S	. Corrosive Solid N.O.S.	
This Mixture Contains	Sodium Metasilicate Sodium Hydroxide	Pentahydrate	
14.3 Transport hazard Class (es)			
class 8	class 8	class 8	
Label CORROSIVE			
14.4 Packing Group			
III	III	III	
14.5 Environmental hazards			
No	No	No	
14.6 Special precautions for user	(Tunnel Restriction) EAC, HIN, EMS		
(E) 2X, 80, F-A S-B			
14.7 Transport in bulk according	to Annex II of MARPOL73/78 and t	ne IBC Code	
Not relevant for this product			

SECTION 15. REGULATORY INFORMATION

$\underline{\textbf{15.1 Safety, health and environmental regulations/legislation specific to the substance or mixture}$

Guidance notes: Workplace Exposure Limits EH40

EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 and CHIP Directive 1999/45/EEC Classification, Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under both CHIP – Directive 67/548/EEC and GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2013

15.2 Chemical Safety Assessment

Not applicable this product is a mixture

SECTION 16. OTHER INFORMATION

REV. No. REPL. SDS	1/0
Generated	16 th November 2022
SDS No.	C2/569
SDS Status	Ok
Approved	23 rd June 2015
Notes	This information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
Hazard statements in ful	H290 – May be corrosive to metals.

	H302 – Harmful if swallowed.		
	H314 – Causes severe skin burns and eye damage.		
	H315 – Causes skin irritation.		
	H318 – Causes serious eye damage.		
	H319 – Causes serious eye irritation.		
	H335 – May cause respiratory irritation.		
Supplementary	P234 – Keep only in original container.		
P- Statements	P260 – Do not breathe dust/fume/gas/mist/vapours/spray.		
	P310 – Immediately call a POISON CENTER or doctor/physician.		
	P363 – Wash contaminated clothing before reuse.		
	P390 – Absorb spillage to prevent material damage.		
	P304 + P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for		
	breathing.		
	P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,		
	if present and easy to do. Continue rinsing.		
	P405 – Store locked up.		
	P406 – Store in corrosive resistant/ container with a resistant inner liner.		
	P501 – Dispose of contents/container to local authority		
EUH Statements	None		
	END of SDS		