(PARAGON PRODUCTS UK LTD) ODOUR KILL

Page: 1 Compilation date: 28/08/2019 Revision date: 01.02.22

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (PARAGON PRODUCTS UK LTD) ODOUR KILL

Product code: J43

Synonyms: HC1659

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Water based disinfectant and cleaner.

1.3. Details of the supplier of the safety data sheet

Company name: PARAGON PRODUCTS (UK) LTD

Newhailes Industrial Estate

Newhailes Road

Musselburgh

East Lothian

EH21 6SY

United Kingdom

Tel: +44(0)131 653 2222

Fax: +44(0)131 653 2272

Email: sales@paragongroup.co.uk

1.4. Emergency telephone number

Emergency tel: +44(0)131 653 2222

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Label elements: Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



(PARAGON PRODUCTS UK LTD) ODOUR KILL

Page: 2

Signal words:	Danger
Precautionary statements:	P102: Keep out of reach of children.
	P260: Do not breathe spray.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for
	breathing.
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P362+P364: Take off contaminated clothing and wash it before reuse.
Haz. ingredients (label):	Contains:
	PRIMARY ALCOHOL ETHOXYLATE
2.3. Other hazards	

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE - REACH registered number(s): 01-2119980051-45-XXXX

PBT: This product is not identified as a PBT/vPvB substance.

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE - REACH registered number(s): 01-2119970550-39-XXXX

939-350-2	68424-85-1	-	Acute Tox. 4: H302; Skin Corr. 1B:	<1%
			H314; Aquatic Acute 1: H400; Aquatic	
			Chronic 2: H411	

Non-classified ingredients:

DIMETHYL C12-C14 ALKYL BETAINES - REACH registered number(s): 01-2119529251-48-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
931-700-2	66455-29-6	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412	<1%

N-BUTYL ACETATE

204-658-1	123-86-4	-	Flam. Liq. 3: H226; STOT SE 3: H336; -: EUH066	<1%
-----------	----------	---	---	-----

Section 4: First aid measures

(PARAGON PRODUCTS UK LTD) ODOUR KILL

		Page:
4.1. Description of first aid me	easures	
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
	examination.	
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water	
	to drink immediately. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Move to	
	fresh air in case of accidental inhalation of vapours. Consult a doctor.	
4.2. Most important symptom	s and effects, both acute and delayed	
	·	
	There may be irritation and redness at the site of contact.	
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe	
	pain. The vision may become blurred. May cause permanent damage.	
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach	
	pain may occur.	
	There may be irritation of the throat with a feeling of tightness in the chest.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	
4.3. Indication of any immedia	ate medical attention and special treatment needed	
Immediate / special treatment:	Eye bathing equipment should be available on the premises.	
ection 5: Fire-fighting meas	ures	
5.1. Extinguishing media		
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray	
	to cool containers.	
5.2. Special hazards arising fi		
Exposure hazards:	In combustion emits toxic fumes. Water based product. Advice relates to dry residues	
	after water has evaporated.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
-	with skin and eyes.	
ection 6: Accidental release		
6.1. Personal precautions, pro	otective equipment and emergency procedures	
reisonal precautions:	Mark out the contaminated area with signs and prevent access to unauthorised	
	personnel. Do not attempt to take action without suitable protective clothing - see section	
	8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.	

(PARAGON PRODUCTS UK LTD) ODOUR KILL

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Non-classified ingredients:

N-BUTYL ACETATE

Workplace ex	xposure limits:		Respirable dust:	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	724 mg/m3	966 mg/m3	-	-

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.

(PARAGON PRODUCTS UK LTD) ODOUR KILL

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic phys	sical and chemical properties		
State:	Liquid		
Colour:	Pale blue		
Odour:	Perfumed		
Evaporation rate:	Slow		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Miscible in all proportions		
Viscosity:	Non-viscous		
Boiling point/range°C:	100	Melting point/range°C:	~0
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	>93	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	0.995	pH:	5 - 6
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

(PARAGON PRODUCTS UK LTD) ODOUR KILL

11.1. Information on toxicological effects

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

IHL	RAT	LC50	>5	mg/l
ORL	RAT	LD50	200-2000	mg/kg
SKN	RAT	LD50	>2000	mg/kg

ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE

DERMAL	RAT	LD50	1560	mg/kg
ORL	RAT	LD50	795	mg/Kg

Non-classified ingredients:

DIMETHYL C12-C14 ALKYL BETAINES

ORL RAT LD50	>2000	mg/kg
--------------	-------	-------

N-BUTYL ACETATE

	ORL	RAT	LD50	10768	mg/kg
--	-----	-----	------	-------	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe
	pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

(PARAGON PRODUCTS UK LTD) ODOUR KILL

Page: 7

Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE C9-11 6 MOLE

FISH	96H LC50	1-10	mg/l
------	----------	------	------

ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE

DAPHNIA	48H EC50	0.03	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1.7	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactant(s) contained in this preparation complies (comply) with

the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on

detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil. Volatile. Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	The product will not be dangerous to the environment when diluted in waste water systems and may be disposed of as low-hazard chemical waste within the scope of
	national and local regulations/permits.
Recovery operations:	Not applicable.
Waste code number:	20 01 30
Disposal of packaging:	Dispose of as normal industrial waste. Clean with water. Recycle container where
	permitted.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

(PARAGON PRODUCTS UK LTD) ODOUR KILL

Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations: Detergents EC 648/2004 (ammended)(biodegradability), articles 4, 9 **15.2. Chemical Safety Assessment** Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. IMPORTANT NOTE: Risk phases in this section below relate to the INDIVIDUAL COMPONENTS in the formulation when used at their FULL CONCENTRATIONS, and not at the reduced levels in the mixed product. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 Articles 4 and 9 on detergents. Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking. H226: Flammable liquid and vapour. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. For professional and industrial use only.