

**Section 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier****Product name:** PARA GLEAM**Product code:** F05**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).**1.3. Details of the supplier of the safety data sheet**

**Company name:** Paragon Products UK Ltd  
Unit 1-2 Broombank Road,  
Sheepbridge,  
Chesterfield,  
S41 9QJ  
United Kingdom

**Tel:** +44 (0) 1246 944 866**Email:** sales@paragongroup.co.uk**1.4. Emergency telephone number** 01246 944 866**Section 2: Hazards identification****2.1. Classification of the substance or mixture****Classification under CLP:** Skin Corr. 1A: H314**Most important adverse effects:** Causes severe skin burns and eye damage.**2.2. Label elements****Label elements:****Hazard statements:** H314: Causes severe skin burns and eye damage.**Signal words:** Danger**Hazard pictograms:** GHS05: Corrosion**Precautionary statements:** P102: Keep out of reach of children.

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

# SAFETY DATA SHEET

F05 PARA GLEAM

Page: 2

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+313: If skin irritation occurs: Get medical attention.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

SODIUMHYDROXIDE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	10-30%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** There may be irritation and pain. The vision may become blurred. Corneal burns may occur.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Corrosive burns may appear around the lips.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

[cont...]

# SAFETY DATA SHEET

F05 PARA GLEAM

Page: 7

## 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Water.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Corrosive.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear protective clothing to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS.  
Notify the police and fire brigade immediately. Turn leaking containers leak-side up to prevent the escape of liquid.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a suitable container.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Keep container tightly closed.

**Suitable packaging:** Polyethylene.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Hazardous ingredients:**

**SODIUM HYDROXIDE**

# SAFETY DATA SHEET

F05 PARA GLEAM

Page: 8

## Workplace exposure limits:

## Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m <sup>3</sup>	-	-

## DNEL/PNEC Values

DNEL / PNEC No data available.

## 8.2. Exposure controls

**Hand protection:** Gloves (alkali-resistant). Impermeable gloves.

**Eye protection:** Safety glasses with side-shields.

**Skin protection:** Protective clothing. Alkali resistant protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Yellow

**Odour:** Characteristic odour

**Evaporation rate:** Moderate

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Viscosity:** Non-viscous

**Boiling point/range°C:** 100

**Melting point/range°C:** 0

**Flammability limits %: lower:** Not applicable.

**upper:** Not applicable.

**Flash point°C:** Not applicable.

**Part.coeff. n-octanol/water:** Not applicable.

**Autoflammability°C:** Not applicable.

**Vapour pressure:** Not applicable.

**Relative density:** 1.158

**pH:** 13.5

**VOC g/l:** 0

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

### 10.4. Conditions to avoid

### 10.5. Incompatible materials

**Materials to avoid:** Aluminium. Zinc.

# SAFETY DATA SHEET

F05 PARA GLEAM

Page: 9

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits toxic fumes of nitrogen oxides.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Hazardous ingredients:**

#### SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

**Relevant hazards for substance:**

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** Irritation or pain may occur at the site of contact. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** There may be irritation and pain. The vision may become blurred. Corneal burns may occur.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Corrosive burns may appear around the lips.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** No data available.

### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

### 12.4. Mobility in soil

**Mobility:** Soluble in water.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

# SAFETY DATA SHEET

F05 PARA GLEAM

Page:

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number: 1760

### 14.2. UN proper shipping name

**Shipping name:** CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE (12%))

### 14.3. Transport hazard class(es)

**Transport class:** 8

### 14.4. Packing group

**Packing group:** II

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Special precautions:** No special precautions. **Tunnel code:** E **Transport category:** 2

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

**Phrases used in s.2 and s.3:** H314: Causes severe skin burns and eye damage.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.